



LANDSCAPE LIGHTING MANUFACTURER

## 2020 SUPPLEMENT



NEW PRODUCTS

SUPPLEMENT

VOLUME

20





# *12v E.T. Path and Walkway Lighting*



Adjustable light for precise and safe illumination

The E.T. Path provides soft illumination (T3) or very high lumen option (6W integrated chip)



<b>MODEL:</b>	PS-113B SERIES
<b>MATERIAL:</b>	SOLID BRASS
<b>FIXTURE SIZE:</b>	4 1/2"W X 3 1/2"D
<b>STANDARD STEM SIZE:</b>	22" HEIGHT
<b>STEM OPTION:</b>	7", 10", 15" OR 18"*
<b>FINISHES:</b>	NATURAL BRONZE (NBZ)
<b>LED T3 LAMP:</b>	2.5W, 3.5W, 5W OR 6W OR
<b>INTEGRATED:</b>	6W / 400 LUMEN WITH QUICK CHANGE/ SERVICE-ABLE TECHNOLOGY
<b>KELVIN:</b>	2700K OR 3000K*
	*T3 5W AND 6W ONLY 3000K
<b>MOUNTING:</b>	GROUND STAKE INCLUDED

\* SPECIFY WHEN ORDERING

**LIGHTING FOR STEPS AND STAIRS IS CRITICAL FOR SAFETY AND VISUAL COMFORT**





# *Romantic Flickering Candles*



Ideal for pathways, ground luminaires and candle retrofits



**PATH MODEL:** AP 204-FLK  
**STANDARD SIZE:** 3"W X 22 1/2" HT OVERALL  
**STEM OPTION:** 22" HT, 15" HT, 10" HT, 7" HT\*  
**GROUND MODEL:** AP 204-SPIKE-FLK  
**CANDLE SIZE:** 3"W X 4 1/2" H

**LED:** 12V AC T3 X 1 WATT FLICKER  
**MATERIAL:** BRASS WITH HONEY AMBER RESIN CANDLE  
**MOUNTING:** GROUND STAKE INCLUDED  
**OPTION:** NON FLICKERING LED T3

*PITCHED FOR DRAINAGE WITH FAUX WICK*



*\*SPECIFY WHEN ORDERING*





# *New Romantic Flickering Pendant*

12v Hanging Starlight Pendant with Soft Flicker Effect  
Beautiful in trees, patio covers and overhead structures

**MODEL:** H-108B-FLK  
**MATERIAL:** BRASS  
**LED:** 12V AC T3 X 1 WATT FLICKER  
**FINISH:** BRONZE  
**FIXTURE SIZE:** 2 1/4"W X 8"H  
**MOUNTING:** 3 FT. CHAIN  
**OPTION:** MOUNTING BASE (AX 803 LOOP)


\*TREE SHOWN WITH LED-MSL-AC MINI STRING







# 12V AC Flex Strip



## FLEX STRIP

### OUTDOOR CURVILINEAR DIMMABLE LED 12V AC/DC

IDEAL FOR ABOVE GROUND APPLICATIONS (IP65)

**LED-FLEX-1.5W-2700K-AC**

**LED-FLEX-1.5W-3000K-AC**

## PRODUCT SPECIFICATIONS

MATERIAL:	HIGH PERFORMANCE WHITE SILICONE. UV RESISTANT.
LENGTH PER ROLL:	16.4 FT. STRIP LENGTH ROLLS
PRODUCT SIZE:	¼" WIDTH X ½" HEIGHT
WATTAGE:	1.5W PER FT. OR 24.6W PER ROLL
LUMENS:	95 LM PER FT. AVG.
OPERATING VOLTAGE:	11V TO 13V AC/DC
CUTTING:	FIELD CUT-ABLE EVERY 33.3MM OR APPROX. 1.3 INCH (CUT MARKINGS ARE PRINTED ON THE ROLL)
VIEWING ANGLE:	120 DEGREE VIEWING ANGLE
IP RATING:	IP65 (OUTDOOR RATED)
MAX RUN:	16.4 FT. (1 ROLL)
LEAD WIRE:	3 FT. LEAD WIRE ON BOTH ENDS
OPERATING TEMPERATURE:	20-120 DEG. F
DIMMING:	12V LED IN-LINE DIMMER (LIGHTCRAFT BRAND) OR 120V PRIMARY SIDE DIMMING (SEE SPEC SHEET FOR MORE INFORMATION ON DIMMING)

## OPTIONAL ACCESSORIES

MOUNTING CLIPS:	LED-FLEX-CLIP
LIVE END:	LED-FLEX-LIVE END
DEAD END:	LED-FLEX-END CAP
SOLDER PACKET:	LED-FLEX-SOLDER

Architectural led flex strip is ideal for curvilinear features – rounded stairs, seat walls, coves, etc.  
Provides smooth and continuous “dot free” light.





**LIGHTCRAFT**  
**OUTDOOR**

**Welcome Home!**  
**Make Everyday A Holiday.**



Safe 12V AC string lights are rated for year-round use.

Easily attaches to your existing AC landscape transformer.

Provides safety, security, beauty and entertainment value.

Residential, Commercial, Hospitality and Event use.

### **12V AC FAIRY STRING LIGHTS**

Year-Round Use. Safer than 120V!  
NEW! AC IP65 Rated

**MODEL: LED-MSL-AC**

**SIZE: 33 FT. ROLLS**

**MAX LENGTH: 5 ROLLS / 165 FT. LINKABLE**

**VOLTAGE: 12V-15V AC**

**WATTAGE: 9W PER ROLL**

**LED SPACING: 4"**

**KELVIN: 2700K**

**LUMENS: 12 LM PER LED**

**MATERIAL: BLACK RUBBER (IP 65)**

**ACCESSORIES: POWER CORDS (ONE PER RUN NEEDED), TRANSFORMERS AND LANDSCAPE CABLE - SOLD SEPARATELY**

**GREAT FOR WRAPPING TREES WITH LIGHT!**





**LIGHTCRAFT**  
**OUTDOOR**

# Low Voltage LED Dimmer

**Model: LED-DIM-12V**




- No Minimum Load
- 4 1/2" H X 2 3/4" W X 2" DEEP
- J BOX Housing Required (not supplied)
- Installs on the 12v Side Between the Transformer and the 12v Fixture(s)

- Max Load is 120w at 12vAC
- Dims Most Bulbs Including Dimmable LEDs Up To 90%
- Perfect For Indoor And Outdoor Applications
- Short-Circuit Protection With Simple Recovery
- Transient Protection (Supply Side And Load Side)
- Extremely Smooth Trailing Edge Dimming
- IP65 (Dustproof, Water Resistant, Potted Electronics)
- Intelligent Soft-Start
- Black Faceplate
- Adjustable Knob For Voltage Regulation
- Runs Cool And Quiet



# 2020 SUPPLEMENT

LIGHTCRAFT OUTDOOR'S COLLECTION OF 12V AC UNDERWATER ACCENT LIGHT FIXTURES ARE IDEAL FOR PONDS, FOUNTAINS AND ABOVE GROUND NICHE APPLICATIONS.



## **GUPPY**

**H20 302B (GU4-BI PIN) INCLUDED**

**SIZE: 1 3/4" H X 2 3/4" W**

**PEBBLE TRAY SIZE: 3 7/8" W (REMOVEABLE/INCLUDED)**

**FINISH: NATURAL BRONZE**

**CORD LENGTH: 25 FT. SJTW CABLE**

**LED LAMP: GU4- 1.8W COB / 2700K (REMOVEABLE/INCLUDED)**

- **SOLID CAST BRASS MATERIAL**
- **REPLACE-ABLE AND FIELD SERVICE-ABLE LEDS**
- **USE UP TO 6FT UNDERWATER OR ABOVE GROUND**
- **GASKETED AND SEALED**
- **EXCELLENT VALUE**



LANDSCAPE LIGHTING MANUFACTURER

9811 OWENSMOUTH AVE | UNIT 1 | CHATSWORTH, CA 91311  
PHONE: 818.349.2663 | FAX: 818.349.2676  
EMAIL: SALES@LIGHTCRAFTOUTDOOR.COM  
WWW.LIGHTCRAFTOUTDOOR.COM