




PROJECT	DATE
TYPE	CATALOG #

# E26 ARCHITECTURAL SUSPENDED STRING

## BK-E26-S




### STRING DIMENSIONS



+ String and lamps are sold separately

### SOCKET DIMENSIONS



### KEY FEATURES

- UV RESISTANT MATERIALS
- PVC SOCKET FORMS A TIGHT WATER SEAL
- COMMERCIAL GRADE
- SPECIFY CUSTOM CUTS BY THE FOOT
- FIELD CUTABLE BETWEEN SOCKETS
- 2 YEAR LIMITED WARRANTY
- ETL LISTED\*
- INTENDED FOR LAMP-DOWN APPLICATIONS ONLY

\*Check with local building and safety inspectors for specific requirements

\*\*Lightcraft recommends the use of guy wire for runs of 35' or more

### PRODUCT SPECIFICATIONS

MATERIAL	SPT-2
WIRE COLOR	BLACK
WIRE GAUGE	16 AWG
SOCKET	E26 (MEDIUM BASE)
MAX WATTAGE	25W PER SOCKET
12V MAX RUN	200 FT
120V MAX RUN	300 FT (1200 WATT MAX)
SPACING	24" BETWEEN SOCKETS
VOLTAGE	12V OR 120V
12V WIRING	DIRECT TO LOW VOLTAGE TRANSFORMER
120V WIRING	HARD WIRE OR SPECIFY POWER PLUG (PART: BK-PWR-MALE)
CERTIFICATION	ETL WET LOCATION



PROJECT	DATE
TYPE	CATALOG #

# S14 LAMPS (OUTDOOR/INDOOR RATED)



Lightcraft Outdoor's LED Filament Collection offers a dimmable 1W vintage style filament LED with an antique 2400K warm white light output. Available in 12VAC to easily integrate with your low voltage landscape lighting system. Also available in 120VAC.

12V FILAMENT LED



LED-BK-S14-1-12-FIL

WATTAGE 1W  
 KELVIN 2400K  
 LUMENS 45  
 DIMMABLE YES\*  
 VOLTAGE 11V AC - 13V AC  
 BASE MEDIUM (E26)


120V FILAMENT LED



LED-BK-S14-1-120-FIL

WATTAGE 1W  
 KELVIN 2400K  
 LUMENS 100  
 DIMMABLE YES\*  
 VOLTAGE 120V AC  
 BASE MEDIUM (E26)

S14 LAMP DIMENSIONS



Dimensions for all S14 lamps on this page.

\*PRIMARY SIDE DIMMING: Requires LED magnetic low voltage (MLV) or LED electronic low voltage (ELV) dimmable transformer and compatible LED dimmer (MLV OR ELV) For more information see installation guidelines  
 + Fully tested with Lutron Diva (DVLV-600P) dimmer and Lightcraft dimmable transformers

\*LOW VOLTAGE SIDE DIMMING: Requires Lightcraft 12V In Line Dimmer

## MOUNTING INSTALLATION ACCESSORIES

GALVANIZED AIRCRAFT CABLE



MODEL BK-CABLE-1/16  
 MATERIAL GALVANIZED  
 DIAMETER 1/16" (7X7)  
 STRENGTH 480 LBS RATING  
 ROLL SIZE 250 FT

CABLE WIRE CLAMPS



MODEL BK-CABLE-CLAMP-1/16  
 MATERIAL GALVANIZED  
 MODEL BK-CABLE-CLAMP-1/8  
 MATERIAL GALVANIZED

WIRE TIES (SS)




MODEL BK-TIES-SS  
 MATERIAL STAINLESS STEEL  
 LENGTH 5"  
 WIDTH 1/6"  
 STRENGTH 150 LBS RATING  
 QTY PACK 100

WIRE TIES (NYLON)



MODEL BK-TIES-BK  
 MATERIAL HEAVY DUTY NYLON  
 LENGTH 8"  
 WIDTH 1/3"  
 STRENGTH 120 LBS RATING  
 QTY PACK 100

## DESIGN IDEAS (POSTS, POLES, HOOKS NOT SUPPLIED)





PROJECT	DATE
TYPE	CATALOG #

## SUBMITTAL SHEET

### STEP 1

#### FIXTURE CONFIGURATION

LENGTH	MODEL
<input type="text"/> ft.	<input type="text"/>
Specify per foot	BK-E26 Standard Socket BK-E26-S Suspended Socket

#### STANDARD STRING CUT

- All bistro string comes in Black finish.
- Each string has 1ft. before the first socket with a pigtail for hard wire (12v or 120v).
- Each string has 1ft. after the last socket with a sealed looped end. FOR ADDITIONAL 12V LEAD (BK-LEAD) OR 120V POWER PLUG (BK-PWR-MALE) PLEASE SPECIFY IN STEP 2

### STEP 2

#### LEAD CONFIGURATION

MODEL	LEAD LENGTH
<input type="text"/>	<input type="text"/> ft.
BK-LEAD Lead Wire (per ft.) BK-PWR-MALE 8 ft. Male Plug	Specify per foot for BK-LEAD

#### LEAD ORDERING INFO

- All leads and power plugs are factory sealed and installed
- BK-PWR-MALE is for 120V installs at receptacles FOR ADDITIONAL 12V LEAD (BK-LEAD) OR 120V POWER PLUG (BK-PWR-MALE) PLEASE SPECIFY IN STEP 2

### STEP 3

#### LAMP CONFIGURATION

QTY	MODEL
<input type="text"/>	<input type="text"/>
	<b>12V OPTIONS</b> LED-BK-S14-1-12-FIL 1W Filament LED - 2400K
	<b>120V OPTIONS</b> LED-BK-S14-1-120-FIL 1W Filament LED - 2400K

### STEP 4

#### SHADE OPTIONS

QTY	MODEL
<input type="text"/>	<input type="text"/>
	BK-111-BZ Petal Shade BK-411-BZ Hammered Shade BK-511-BZ Pyramid Shade
	• All shades are Bronze (BZ) outer finish with white reflective inside finish.

### STEP 5

#### ACCESSORY OPTIONS

QTY	MODEL
<input type="text"/> ft.	<input type="text"/>
Sold by the foot	BK-CABLE-GS-1/16 BK-CABLE-GS-1/8
<input type="text"/>	<input type="text"/>
	BK-CABLE-CLAMP-1/16 BK-CABLE-CLAMP - 1/8
	Sold individually

QTY	MODEL
<input type="text"/>	<input type="text"/>
	Stainless Steel Cable Ties (100 QTY Pack)
<input type="text"/>	<input type="text"/>
	Heavy Duty Nylon Ties (100 QTY Pack)